

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	1	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
10/770,720		02/03/2004	Jung Gon Kim	JSK-PT004 2289		
3624	7590	03/31/2005		EXAMINER		
VOLPE AN		•	NASRI, JAVAID H			
UNITED PL 30 SOUTH	•			ART UNIT PAPER NUMBER		
PHILADEL	PHIA, PA	A 19103		2839		
				DATE MAILED: 03/31/2009	5	

Please find below and/or attached an Office communication concerning this application or proceeding.

				11			
		Application No.	Applicant(s)				
		10/770,720	KIM ET AL.				
	Office Action Summary	Examiner	Art Unit				
		Javaid Nasri	2839				
Period fo	The MAILING DATE of this communication app or Reply	pears on the cover sheet with the c	correspondence address				
THE - Exte after - If the - If NC - Failt Any	ORTENED STATUTORY PERIOD FOR REPL' MAILING DATE OF THIS COMMUNICATION. nsions of time may be available under the provisions of 37 CFR 1.1 SIX (6) MONTHS from the mailing date of this communication. e period for reply specified above is less than thirty (30) days, a repl period for reply is specified above, the maximum statutory period of the properiod of the pr	36(a). In no event, however, may a reply be tin y within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication D (35 U.S.C. § 133).				
Status							
1)	Responsive to communication(s) filed on						
2a)□		action is non-final.					
3)⊠	Since this application is in condition for allowance except for formal matters, prosecution as to the ments is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposit	ion of Claims						
5)⊠	 ✓ Claim(s) 1-5 is/are pending in the application. ✓ 4a) Of the above claim(s) is/are withdrawn from consideration. ✓ Claim(s) 1-5 is/are allowed. 						
·	Claim(s) is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/o	r election requirement.					
Applicat	ion Papers						
9)⊠ 10)⊠	The specification is objected to by the Examine The drawing(s) filed on <u>03 February 2004</u> is/are Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Ex	e: a) accepted or b) objecte drawing(s) be held in abeyance. See ion is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d) .			
Priority (ınder 35 U.S.C. § 119						
12) [a)	Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority documents application from the International Bureau See the attached detailed Office action for a list	s have been received. s have been received in Applicati ity documents have been receive ı (PCT Rule 17.2(a)).	on No ed in this National Stage				
Attachmen		_	•				
	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948)	4) 🔲 Interview Summary Paper No(s)/Mail Da					
3) 🔲 Inforr	r No(s)/Mail Date		atent Application (PTO-152)				

Application/Control Number: 10/770,720 Page 2

Art Unit: 2839

Ex parte Quayle

1. This application is in condition for allowance except for the following formal matters:

Drawings

- 2. The drawings are objected to because:
 - a) Numeral 61 for a plurality of penetration grooves is not marked on figure4. Refer to page 6, line 13.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filling date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Application/Control Number: 10/770,720 Page 3

Art Unit: 2839

Claim Objections

3. Claims 1-5 are objected to because of the following informalities:

- a) In claim 1, line 2, "the front surface" lacks antecedent base.
- b) In claim 1, line 3, "the rear surface" lacks antecedent base.
- c) In claim 1, lines 2 and 3, specify, the front and back surfaces of what?
- d) In claim 1, line 11, change "grooves orthogonal" to -- grooves are orthogonal --.
- e) In claim 2, lines 2 and 3, "a plurality of penetration grooves" is already in claim 1.
- f) In claim 3, line 2, "a plurality of terminal insertion grooves" is already in claim 1.
- g) In claim 3, lines 4 and 5, "a plurality of wire insertion grooves" is already in claim 1.
- h) In claim 3, line 6, "the connection slits" lacks antecedent base.
- i) In claim 3, line 7, specify, integrally formed with what?
- j) In claim 5, lines 7 and 8, "a plurality of IDC terminals" are fixed on the PCB 30 and not fixed to the rear surface of the housing 10.

Prosecution on the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO MONTHS** from the mailing date of this letter.

REASONS FOR ALLOWANCE

4. The following is an examiner's statement of reasons for allowance:

The reason for allowance of the claims is the inclusion of the limitation,

a) None of the prior art teaches or suggest, alone or in combination the terminal insertion grooves and the wire insertion grooves are orthogonal to each other, in combination with other limitations in the claim, which is not found in the prior art reference of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Contact

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Javaid Nasri whose telephone number is 571 272 2095. The examiner can normally be reached on Monday to Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tulsidas C. Patel can be reached on 571 272 2800 ext 39. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/770,720

Art Unit: 2839

Page 5

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Javaid Nasri

Primary Examiner

Art Unit 2839

Jhn

March 24, 2005